## Technical Specification

## **Backhoe Loader**

1 unit

S.N.	CRITERIA		REQUIRED SPECIFICAT	ION %	SPECIFICATION
1.	General		All/Four Wheel Drive, Heavy Duty Frame with cab, suitable for oper rough working condition & Adve condition of Nepal.  Equipment of make 2024 of mandatory	Rigid Steel ation under rse climatic	PMake:
2.	Cabin		All steel enclosed cab with laminated glass windscreen insulated roof, suitably located controls for back hoe(excavator) and loader operation, rear view mirror, cabin light, wiper and adjustable cushioned seat for operator shall be provided.		
3.	Engine		Turbocharged water cooled Diesel Engine with maximum power output not less than 90 HP and Maximum Torque not less than 350 N-m for efficient full load operation of backhoe loader at operating conditions as stated in the bid document. Backhoe loader shall be equipped with all essentials for efficient performance.		Make: Model: Country of Origin:
	Capacity/Size /Performance	Loader	Multi purpose bucket with capacity nominally heaped minimum 0.9 cu.m		BC-
			Maximum Dump Height	Min. 2700 mm	DH-
			Maximum Digging Depth below ground level	<u>&gt;7</u> 0 mm	DD-
		Backhoe	Bucket Capacity	Min.0.27 m <sup>3</sup>	BC-
4.			Maximum Digging Depth	Min. 4800 mm	DD-
			Maximum Load Over Height	Min. 4000 mm	LOH-
			Maximum Working Height	Min. 6000 mm	WH-
			Maximum Reach Ground Level to rear wheel Center	Min. 6800 mm	R-
6.	Hydraulic Flow	Maximum Pump Flow should be minimum 115 lpm Maximum System Pressure should be minimum 210 bar			


Chief Administrative Conscion





8.	Tyre	Suitable heavy duty four tires with tubes for operating machine in rough road conditions shall be provided.	the state of the s
9.	Transmission	4 speed system with Torque converter of Municipality Constitution	lice
10.	Axles	Four Wheel Drive/All wheel drive with	ot
11.	Steering Power/ Power Assisted		
12.	Brakes Brakes & Separate Parking Brake.		
13.	Gauges & Indicators  To include necessary gauges, meters and indicators for efficient operation & Maintenance.		
15.	1.Road Lights, Side Indicators, Operating Lights for Loader & Backhoe & Fog lights. 2. Cabin lights 3. Service Hour Meter & 4. A Heavy duty grease gun Equipped with all accessories offered in standard model but not limited to the above items.		
16	Instructions	All signs & Instructions in Equipment shall be in English Language.	
17.	Manuals  One Hard Copy in English of the a. Operator's /Owner's instructions and maintenance manual, b Spare parts catalogue shall be supplied with the equipment.		
18.	Tools  A set of tools required for general maintenance shall be supplied within a lockable tool box with equipment.		
19.	Color	Standard	
20.	Initial Service and spare parts	Supplier shall provide necessary filters, Spare parts & Lubricant for first servicing up at the municipality office premises as per instructed in operation manual.	

de de la companya de





21	Proven performance m	1. The machine offered shall be of current model funder standard production by the manufacturer for at least one year.  2. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel Consumption, performance curve of the engine and production capacity of unit.	Rural Municipal Range Ra
22.	Warranty	Manufacturer shall provide minimum 1 years warranty from date of acceptance.	
23.	Delivery	The Backhoe Loader 1 (One) Unit shall be delivered with all_necessary accessories to:  Kakani Rural Municipality, Ranipauwa,  Nuwakot	

Note: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offer.

Bidder's Signature...... Date .....

Prepared By:Pradeep Kumar Shrestha
Mechanical Engineer
Heavy Equipment Division,
Signature and Date:

शिवार तथा यातियाः भा वस्त्रीत्यार तथा यातियाः भा वस्त्रीत्यार द्वित्यार्थः भा वस्त्रीत्यार द्वित्यार्थः

anach stratego de la servicio del servicio de la servicio del servicio de la servicio del servicio

